



IRW

PATENT
9694D-000002/US

IN THE U.S. PATENT AND TRADEMARK OFFICE

Applicant: Mitsuo FUKUDA et al. Conf.: 8672
Appl. No.: 10/784,877 Group: 8672
Filed: February 24, 2004 Examiner: Unknown
For: MEDICAL LANCET

STATUS INQUIRY

Customer Service Window
Randolph Building
401 Dulany Street
Alexandria, VA 22314

July 14, 2006

Sir:

Please advise the undersigned as to the status of the above-identified application as follows:

A duplicate copy of the present Status Inquiry is attached hereto. It is respectfully requested that the duplicate copy be marked appropriately to indicate the status of the above-identified application and returned to the undersigned as soon as possible.

Please call the undersigned, at 703-668-8000 if there are any questions with regard to the present request.

Respectfully submitted,

HARNESS, DICKEY & PIERCE, P.L.C.

By


Donald J. Daley, Reg. No. 34,313

DJD/amp

P.O. Box 8910
Reston, VA 20195
(703) 668-8000

☐ Awaiting Action from Patent Office Examiner

Expected Date for Action is: _____.

☐ Awaiting Decision by Board of Appeals.

☐ Application allowed on _____.

☐ Abandoned per _____.

☐ Other

_____.